



**GOVERNMENT OF TELANGANA  
STATE DISASTER RESPONSE & FIRE SERVICES DEPARTMENT  
NO OBJECTION CERTIFICATE**



From  
Dy. Director,  
TSFS & CDTI,  
State Disaster Response and Fire Services,  
Telangana, Hyderabad.

To,  
POLAVARAPU SRIKANTH,  
H.NO : 16-8-26/4/A/1,  
PLOT NO :1,  
2 3,  
4,  
5 & 6 OUT SY.NO :-411/C,  
VELUGUMATLA,  
MADHURA NAGAR ROAD NO : 3 & 4,  
KHAMMAM DIST,

Rc. No.491750002023 Dated:01/07/2023

Sir,  
Sub: TELANGANA STATE DISASTER RESPONSE & FIRE SERVICE DEPARTMENT —Khammam Division.  
Issue of No Objection Certificate for Occupancy to the Non Multi storeyed Building of **WINFIELD HIGH SCHOOL,H.NO : 16-8-26/4/A/1,PLOT NO :1,2 3,4,5 & 6 OUT SY.NO :-411/C, VELUGUMATLA,MADHURA NAGAR ROAD NO : 3 & 4, KHAMMAM DIST/-Khammam/Khammam (Urban)/Khammam, Hyderabad – Regarding.**



Ref: 1. Acknowledgement No**491750002023**dt.01/07/2023  
2. Inspection Committee Report, Acknowledgement No: 491750002023  
\*\*\*\*\*

1. The Multi Storeyed Building Inspection committee, vide reference cited (2) have inspected the Non Multi Storeyed Building of **WINFIELD HIGH SCHOOL,H.NO : 16-8-26/4/A/1,PLOT NO :1,2 3,4,5 & 6 OUT SY.NO :-411/C, VELUGUMATLA,MADHURA NAGAR ROAD NO : 3 & 4, KHAMMAM DIST/-Khammam/Khammam (Urban)/Khammam** and submitted the following report.

2.The above building was constructed without obtaining the Provisional Noc from this department and now the builder submmitted application for issuance of No Objection Certificate for occupancy to the existing buliding of **Ground, 4 Floors**, with a height of **14.95 Meters** for **EDUCATIONAL B-1 Schools up to senior secondary level.**

3. Open Spaces : The builder provided the following open spaces all around the building.

Sl.N o	Side	Open space Required as per Supreme Court's order on W.P.No.483 of 2004	Open space Provided
1	North	6.00	6.00
2	South	6.00	6.00
3	East	6.00	6.00
4	West	6.00	6.00
5	Front Direction	West	

4. Means of Access :

Sl. No	Gate Width As per NBC 2016	Required	Provided
1	Entry gate width	6.00	6.0
2	Exit Gate Width	6.00	6.0
3	Entry Gate Head Clearance	4.50	4.50
4	Exit Gate Head Clearance	4.50	4.50

5. Travel Distance

Sl. No.	Item / Description	Required (Not More than in Mtrs.)	Provided
	<b>PRINCIPAL WINFIELD HIGH SCHOOL Madhuranagar Colony, Road No-4, Gollagudem Road, KHAMMAM-507 002.</b>		
	<b>P. Leela MANAGER WINFIELD HIGH SCHOOL Madhuranagar Colony, Road No-4, Gollagudem Road, KHAMMAM-507 002.</b>		

1	Farthest point ( Most Remote Point) With in a storey or a mezzanine floor to the door to an Exit.	30.00	24.80
2	The Dead end of the corridor length in exit access. ( 6 mtrs for Educational, Institutional and Assembly, 15mtrs for other Occupancies)	6.00	5.95

6. Stair Cases (As per NBC 2016)

Sl.no.	Type of staircases	Width (In Mtrs)	No of staircases	Floors from	Floors to
1	Internal staircases	1.75	2	Ground	4th Floor

7. Means of Escape Floor Wise Details

Sl.no	Floor type	Buil-up Area in Sq.Mtrs	Type of Occupancy	Occupant Load	Means of escape required as per table 21 of NBC	Means of escape Provided
1	Ground	660.53	EDUCATIONAL B-1 Schools up to senior secondary level	165.00	1.65	3.50
2	1st Floor	660.53	EDUCATIONAL B-1 Schools up to senior secondary level	165.00	1.65	3.50
3	2nd Floor	660.53	EDUCATIONAL B-1 Schools up to senior secondary level	165.00	1.65	3.50
4	3rd Floor	660.53	EDUCATIONAL B-1 Schools up to senior secondary level	165.00	1.65	3.50
5	4th Floor	660.53	EDUCATIONAL B-1 Schools up to senior secondary level	165.00	1.65	3.50

8. Floor Wise details of Fire Fighting Installations.


Sl.no	Floor Details	Fire Extinguisher	Hose Reel	Automatic Sprinklers System	Manually Operated Electronic Fire Alarm System	Automatic detection and alarm system
1	Ground	4.00	1.00	0.00	0.00	0.00
2	1st Floor	4.00	1.00	0.00	0.00	0.00
3	2nd Floor	4.00	1.00	0.00	0.00	0.00
4	3rd Floor	4.00	1.00	0.00	0.00	0.00
5	4th Floor	4.00	1.00	0.00	0.00	0.00


9. Fire Fighting Installations as per Table 7 of NBC 2016:

Fire Fighting System.	Required As per NBC	Provided
Fire Extinguishers	20.00	20
First Aid Hose Reel	5.00	5
Capacity of Terrace Tank over Respective Tower Terrace in Litres	10000.00	10000
Pump capacity in LPM at the Terrace Tank level with min Pressure of 3.5 Kg/CM <sup>2</sup>	450.00	450
No. of Terrace Tanks over Respective Tower in ltrs	1	1
No. of Pumps at the Terrace Tank level with min pressure of 3.5 Kg/Cm <sup>2</sup>	1	1

10. The builder has provided the following additional Fire Safety Requirements as per NBC of India 2016 as per NBC part 4 of India 2016::

Sl. No	Fire safety Item
1.	Open spaces all around the building are Leveled and have hard open spaces for the operation of fire vehicles.
20.	Fire extinguishers / fixed fire fighting installations, static water storage tanks and pump house are Complied with Clause 5.1 of part – 4 NBC of India 2016

  
**PRINCIPAL**  
 W. J. P. HIGH SCHOOL  
 Madhurasagar Colony,  
 Road No-4, Gollagudem Road,  
 KHAMMAM-507 002.

  
**MANAGER**  
 W. J. P. HIGH SCHOOL  
 Madhurasagar Colony,  
 Road No-4, Gollagudem Road,  
 KHAMMAM-507 002.

22. Fire Safety plans prepared and submitted by the builder.

11) In view of the above and as per recommendations of the multistoried building inspection Committee, the No Objection Certificate for occupancy is issued to Multi Storied Building with

Sl No	As Builder	As occupant	As Security Personnel
1	-All the fire protection arrangements shall be maintained in good condition as seen during inspection. -Do's and Don't in case of fire shall be prominently displayed in entire building	All the escape/exit roots shall not be kept locked/blocked or encroached	All the occupants must know the correct method of operation of the fire fighting system installed.
2	Any loss of life or property due to non-functioning of fire safety measures and other installations shall be the responsibility of the management.	All occupants shall be trained to operate the fire safety equipments during emergency.	Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.
3	Addition / alteration, if any in the building may be verified by building authority.	Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.	All security personnel shall be trained to operate the fire safety equipments during emergency and guiding the occupants in safe evacuation. Call the fire Brigade by dialing 101.
4	This No objection Certificate for occupancy is valid for five year from the date of issue of this letter.	Raise the alarm if the fire cannot be controlled, evacuate the area completely at once from the nearest safe exit.	Attack the fire using available fire equipment only if you feel capable of controlling it. If Not, take all steps to isolate the area by closing doors and windows.

12. Additional Fire Safety Measures Recommended by the Department:

0

This No Objection Certificate for Occupancy is valid for Five years from the date of issue of this letter. It is the responsibility of the builder to apply for renewal NOC, duly remitting the user charges as per G.O. Ms. No. 71, Home (Prison – A) Department, dated 01-04-2010, two months before expiry of this No Objection Certificate.

Yours Sincerely,  
Dy. Director,  
TSFS & CDTI,  
State Disaster Response & Fire Services,  
Telangana, Hyderabad.

Copies to:

- i) The Management
- ii) Multistoried Building Inspection Committee
- iii) Copy submitted to Regional Fire officer
- iv) Copy submitted to DG fire services.

"THIS IS COMPUTER GENERATED DOCUMENT AND DO NOT REQUIRE ANY STAMP OR SIGNATURE"

  
**PRINCIPAL**  
**WINFIELD HIGH SCHOOL**  
Madhuranagar Colony,  
Road No-4, Gollagudem Road,  
KHAMMAM-507 002.

  
**MANAGER**  
**WINFIELD HIGH SCHOOL**  
Madhuranagar Colony,  
Road No-4, Gollagudem Road,  
KHAMMAM-507 002.